RECEIVED CENTRAL FAX CENTER JUL 2 7 2005

ABX-PF1 DIV2

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Examiner

Ilia I. Ouspenski

Group Art Unit

1644

Applicants

Douglas Charles Hanson et al.

Application No.

10/776,649

Confirmation No.

5045

Filed

February 10, 2004

For

HUMAN MONOCLONAL ANTIBODIES TO CTLA-4

New York, New York July 27, 2005

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

. :

TRANSMITTAL LETTER FOR INFORMATION DISCLOSURE STATEMENT

Sir:

Transmitted herewith is an Information Disclosure Statement in the aboveidentified application.

This Statement is submitted more than three months from the application filing date, but before the mailing of the first Office Action on the merits. In accordance with 37 C.F.R. § 1.97 (b)(3), no fee is due in connection with this Statement. However, it for any reason a fee is due, the Director is hereby authorized to charge payment of any fees required in connection with this Information Disclosure Statement to Deposit

Account No. 06-1075, Order No. 000659-0030. A duplicate copy of this transmittal letter is enclosed herewith.

Respectfully submitted,

Jane T. Gunnison (Reg. No. 38,479)

Attorney for Applicants

R. Minako Pazdera (Reg. No. 46,984)

Agent for Applicants

c/o FISH & NEAVE IP GROUP

ROPES & GRAY LLP

Customer No. 1473

1251 Avenue of the Americas

New York, New York 10020-1105

Tel.: (212) 596-9000 Fax.: (212) 596-9090

RECEIVED CENTRAL FAX CENTER JUL 2 7 2005

ABX-PF1 DIV2

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Examiner

Ilia I. Ouspenski

Group Art Unit

1644

Applicants

Douglas Charles Hanson et al.

Application No.

10/776,649

Confirmation No.

5045

Filed

February 10, 2004

For

HUMAN MONOCLONAL ANTIBODIES TO CTLA-4

New York, New York July 27, 2005

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

TRANSMITTAL LETTER FOR INFORMATION DISCLOSURE STATEMENT

Sir:

Transmitted herewith is an Information Disclosure Statement in the aboveidentified application.

This Statement is submitted more than three months from the application filing date, but before the mailing of the first Office Action on the merits. In accordance with 37 C.F.R. § 1.97 (b)(3), no fee is due in connection with this Statement. However, it for any reason a fee is due, the Director is hereby authorized to charge payment of any fees required in connection with this Information Disclosure Statement to Deposit

F-265

Account No. 06-1075, Order No. 000659-0030. A duplicate copy of this transmittal letter is enclosed herewith.

Respectfully submitted,

Jane T. Gundison (Reg. No. 38,479)

Attorney for Applicants

R. Minako Pazdera (Reg. No. 46,984)

Agent for Applicants

FISH & NEAVE IP GROUP

ROPES & GRAY LLP

Customer No. 1473

1251 Avenue of the Americas

New York, New York 10020-1105

Tel.: (212) 596-9000 Fax.: (212) 596-9090

RECEIVED CENTRAL FAX CENTER

JUL 2 7 2005

ABX-PF1 DIV:

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Examiner

Ilia I. Ouspenski

Group Art Unit

1644

:

:

Applicants

Douglas Charles Hanson et al.

Application No.

10/776,649

Confirmation No.

5045

Filed

February 10, 2004

For

New York, New York July 27, 2005

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT UNDER 37 C.F.R. §§ 1.56 AND 1.97

Sir:

Pursuant to 37 C.F.R. §§ 1.56 and 1.97, applicants make of record the following

HUMAN MONOCLONAL ANTIBODIES TO CTLA-4

documents¹:

For the Examiner's convenience, applicants have also enclosed a completed Form PTO/SB/08A, listing these documents.

UNITED STATES PATENT DOCUMENT

Inventor	Patent No.	Issue Date
Rhodes	Re 35,500	May 6, 1997
Lonberg et al.	6,255,458	July 3, 2001
Kuchroo et al.	6,207,156	March 27, 2001
Kucherlapati et al.	6,162,963	December 19, 2000
Kucherlapati et al.	6,150,584	November 21,2002
Kucherlapati et al.	6,114,598	September 5, 2000
Kucherlapati et al.	6,075,181	June 13, 2000
Allison et al.	6,051,227	April 18, 2000
Linsley et al.	5,977,318	November 2, 1999
Linsley et al.	5,968,510	October 19, 1999
Kucherlapati et al.	5,939,598	August 17, 1999
Hori et al.	5,916,771	June 29,1999
Allison et al.	5,855,887	January 5, 1999
Meade et al.	5,827,690	October 27, 1998
Lonberg et al.	5,814,318	September 29, 1998
Allison et al.	5,811,097	September 22, 1998
Lonberg et al.	5,789,650	August 4, 1998
Berns et al.	5,789,215	August 4, 1998
Co et al.	5,777,085	July 7, 1998
Linsley et al.	5,773,253	June 30, 1998
Lonberg et al.	5,770,429	June 23, 1998
Linsley et al.	5,770,197	June 23, 1998
Denman et al.	5,756,687	May 26, 1998
Meade et al.	5,750,172	May 12, 1998
Deboer et al.	5,741,957	April 21, 1998
Johnson et al.	5,733,743	March 31, 1998
Kay et al.	5,721,367	February 24, 1998
Co et al.	5,714,350	February 3, 1998
Johnston et al.	5,703,057	December 30, 1997
Goldenberg	5,697,902	December 16, 1997
Torii et al.	5,693,792	December 2, 1997
Queen et al.	5,693,761	December 2, 1997
Lonberg et al.	5,661,016	August 26, 1997
Buttram et al.	5,648,471	July 15, 1997
Dunn et al.	5,643,763	July 1, 1997
Lonberg et al.	5,633,425	May 27, 1997
Lonberg et al.	5,625,126	April 29, 1997
Kay et al.	5,612,205	March 18, 1997
Krimpenfort et al.	5,591,669	January 7, 1997
Queen et al.	5,585,089	December 17, 1996

Lonberg et al.

Surani et al.

2125969325

Lonberg et al. 5,545,806 Queen et al. 5,530,101 Linsley et al. 5,434,131 Khawli et al. 5,194,594 Stec et al. 5,151,510 Rhodes 5,102,990 Goldenberg 5,101,827 Clark et al. 4,959,455 Kaufman et al. 4,912,040 Boss et al. 4,816,397 Kaufman 4,740,461 Goldenberg 4,735,210 Mullis 4,683,202 Mullis et al. 4,683,195 Coates 4,681,581 Axel et al. 4,399,216 Korman et al. 2002/0086014

5,569,825

5,545,807

April 7, 1992
April 7, 1992
September 25, 199
March 27, 1990
March 28, 1989
April 26, 1988
April 5, 1988
July 28, 1987
July 28, 1987
July 21, 1987
August 16, 1983
July 4, 2002

2125969325

FOREIGN PATENT DOCUMENTS

Publication No.	Publication Date
CA 2,205,680	November 16, 1998
EP 0 546 073 EP 0 463 151 EP 0 338 841 EP 0 323 997 EP 0 256 055 EP 0 239 400 EP 0 216 846	June 16, 1993 January 2, 1992 October 25, 1989 July 19, 1989 February 24, 1988 August 3, 1994 April 8, 1987
WO 01/14424	March 1, 2001
WO 00/32231	June 8, 2000
WO 98/50433	November 12, 1998
WO 98/46996	October 22, 1998
WO 98/42752	October 1, 1998
WO 98/24893 WO 98/24884	June 11, 1998 June 11, 1998
WO 97/38137	October 16, 1997
WO 97/20574	June 12, 1997
WO 97/13852	April 17, 1997
WO 96/34096	October 31, 1996
WO 96/33735	October 31, 1996
WO 96/22380	July 25, 1996
WO 96/14436	May 17, 1996
WO 95/33770	December 14, 1995
WO 95/24217	September 14, 1995
WO 95/03408	February 2, 1995
WO 95/01994	January 19, 1995
WO 94/29444	December 22, 1994
WO 94/25585	November 10, 1994
WO 94/02602	February 3, 1994
WO 94/00569	January 6, 1994
WO 93/12227	June 24, 1993
WO 93/00431	January 7, 1993
WO 92/22670	December 23, 1992
WO 92/22647	December 23, 1992
WO 92/22645 WO 92/03918	December 23, 1992 December 23, 1992 March 19, 1992
WO 91/10741	July 25, 1991

OTHER DOCUMENTS

2125969325

Alegre et al., "Regulation of surface and intracellular expression of CTLA4 on mouse T cells,: J. Immunol., 157:4762-4770 (1996)

Allison & Krummel, "The Yin and Yang of T cell costimulation, "Science, 270:932-933 (1995)

Balzano et al., "CTLA-4 and CD28: Similar proteins, neighbouring genes," Int. J. Cancer: Supplement, 7:28-32 (1992)

Barker and Dayhoff, "Detecting distant relationships: computer methods and results," Atlas of Protein Sequence and Structure, pp. 101-110 (Volume 5, National Biomedical Research Foundation (1972)

Blair et al., "Cutting edge: CTLA-4 ligation delivers a unique signal to resting human CD4 T cells that inhibits interleukin-2 secretion but allows Bcl-X_L induction," J Immunol, 160:12-15 (1998)

Blake and Litzi-Davis, "Evaluation of peptide libraries: An iterative strategy to analyze the reactivity of peptide mixtures with antibodies," Bioconjugate Chem., 3:510-513 (1992)

Boussiotis et al., "Activated human B lymphocytes express three CTLA-4 counterreceptors that costimulate T-cell activation," Proc Natl Acad Sci USA, 90:11059-11063 (1993)

Bowie et al., "A method to identify protein sequences that fold into a known three-dimensional structure," Science, 253:164-170 (1991)

Bruggemann et al., "A repertoire of monoclonal antibodies with human heavy chains from transgenic mice," PNAS USA, 86:6709-6713 (1989)

Bruggemann and Neuberger, "Generation of antibody repertoires in transgenic mice," Methods: A companion to Methods in Enzymology, 2:159-165 (1991)

Bruggemann et al., "Human antibody production in transgenic mice: expression from 100 kb of the human IgH locus," Eur. J. Immunol., 21:1323-1326 (1991)

Bruggemann and Neuberger, "Strategies for expressing human antibody repertoires in transgenic mice," Immunology Today, 17:391-397 (1996)

Brunet et al., "A new member of the immunoglobulin superfamily - CTLA-4," Nature, 328:267-270 (1987)

Bumpers et al., "Consistent hepatic metastasis of human colorectal cancer in severe combined immunodeficient mice," J. Surgical Res., 61:282-288 (1996)

2125969325

Chen et al., "Costimulation of antitumor immunity by the B7 counterreceptor for the T lymphocyte molecules Cd28 and CTLA-4," Cell, 71:1093-1102 (1992)

Chen et al. "Immunoglobulin gene rearrangement in B-cell deficient mice generated by targeted deletion of the J_H locus," *International Immunology*, 5:647-656 (1993)

Chen et al., "Intracellular antibodies as a new class of therapeutic molecules for gene therapy," *Human Gene Therapy*, 5:595-601 (1994)

Chiswell and McCafferty, "Phage antibodies: will new 'coliclonal' antibodies replace monoclonal antibodies?" TIBTECH, 10:80-84 (1992)

Choi et al., "Transgenic mice containing a human heavy chain immunoglobulin gene fragment cloned in a yeast artificial chromosome," Nature Genetics, 4:117-123 (1993)

Chothia & Lesk, "Canonical structures for the hypervariable regions of immunoglobulins," J. Mol. Biol., 196:901-917 (1987)

Chothia et al., "Conformations of immunoglobulin hypervariable regions," Nature, 342:877-883 (1989)

Chuang et al., "Interaction of CTLA-4 with the clathrin-associated protein AP50 results in ligand-independent endocytosis that limits cell surface expression," J. Immunol., 159:144-151 (1997)

Coligan et al., "Unit 2.1, "Enzyme-linked immunosorbent assays," Current Protocols in Immunology, 2.1.1-2.1.22 (1994)

Cwirla et al., "Peptides on phage: a vast library of peptides for identifying ligands," PNAS USA, 87:6378-6382 (1990)

Dariavach et al., "Human Ig superfamily CTLA-4 gene: chromosomal localization and identity of protein sequence between murine and human CTLA-4 cytoplasmic domains," Eur. J. Immunol., 18:1901-1905 (1988)

Dayhoff, "Survey of new data and computer methods of analysis," Atlas of Protein Sequence and Structure, pp. 1-10 (Volume 5, Supplement 2, National Biomedical Research Foundation (1976))

de Boer et al., "Ligation of B7 with CD28/CTLA-4 on T cells results in CD40 ligand expression, interleukin-4 secretion and efficient help for antibody production by B cells," Eur J Immunol, 23:3120-3125 (1993)

Evans et al., "Design of nonpeptidal ligands for a peptide receptor: cholecystokinin antagonists," J. Med. Chem., 30:1229-1239 (1987)

Fallarino et al., "B7-1 Engagement of cytotoxic T lymphocyte antigen 4 inhibits T cell activation in the absence of CD28," J Exp Med, 188:205-210 (1998)

Fanger et al., "Production and use of anti-FcR bispecific antibodies," ImmunoMethods, 4:72-81 (1994)

Fauchere, "Elements for the rational design of peptide drugs," Adv. Drug Res., 15:29-69 (1986)

Fishwild et al., 'High-avidity human IgGk monoclonal antibodies from a novel strain of minilocus transgenic mice," Nature Biotech., 14:845-851 (1996)

Foster et al., "Molecular Mechanisms and Selective Influences That Shape the Kappa Gene Repertoire of IgM* B Cells," J. Clin. Invest.: 99, No. 7:1614-1627 (1997)

Freeman et al., "Murine B7-2, an alternative CTLA4 counter-receptor that costimulates T cell proliferation and interleukin 2 production," *J Exp Med.*, 178:2185-2192 (1993)

Freeman et al., "Uncovering of functional alternative CTLA-4 counter-receptor in B7-deficient mice," Science, 262:907-909 (1993)

Freeman et al., "The BB1 monoclonal antibody recognizes both cell surface CD74 (MHC class II-associated invariant chain) as well as B7-1 (CD80), resolving the question regarding a third CD28/CTLA-4 counterreceptor," *J Immunol*, 161:2708-2715 (1998)

Fry et al., "Specific, irreversible inactivation of the epidermal growth factor receptor and erbB2, by a new class of tyrosine kinase inhibitor," *Proc Nat'l Acad Sci USA*, 95:12022-12027 (1998)

Furet et al., "Modelling study of protein kinase inhibitors: binding mode of staurosporine and origin of the selectivity of CGP 52411," Journal of Computer-Aided Molecular Design, 9:465-472 (1995)

Galfre and Milstein, "Preparation of monoclonal antibodies: strategies and procedures." Methods Enzymol., 73:3-46 (1981)

Ginalski et al., "Modelling of active forms of protein kinases: p38 - a case study," Acta Biochimica Polonica, 44:557-564 (1997)

Gorman et al., "The Rous sarcoma virus long terminal repeat is a strong promoter when introduced into a variety of eukaryotic cells by DNA-mediated transfection," *Proc Nat'l Acad Sci USA*, 79:6777-6781 (1982)

Green and Jakobovits, "Regulation of B cell development by variable gene complexity in mice reconstituted with human immunoglobulin yeast artificial chromosomes," J. Exp. Med., 188:483-495 (1998)

Green et al., "Antigen-specific human monoclonal antibodies from mice engineered with human Ig heavy and light chain YACs," Nature Genetics, 7:13-21 (1994)

Gribben et al., "CTLA4 mediates antigen-specific apoptosis of human T cells," *Proc. Natl. Acad. Sci.*, 92:811-815 (1995)

Grosschedl and Baltimore, "Cell-type specificity of immunoglobulin gene expression is regulated by at least three DNA sequence elements," Cell, 41:885-897(1985)

Hanes and Plückthun, "In vitro selection and evolution of functional proteins by using ribosome display," Proc Nat'l Acad Sci USA, 94:4937-4942 (1997)

Harding et al., "CD28-mediated signalling co-stimulates murine T cells and prevents induction of anergy in T-cell clones," *Nature*, 356:607-609 (1992)

Harper et al., "CTLA-4 and CD28 activated lymphocyte molecules are closely related in both mouse and human as to sequence, message expression, gene structure, and chromosomal location," *J Immunol*, 147:1037-1044 (1991)

Hathcock et al., "Identification of an alternative CTLA-4 ligand costimulatory for T cell activation," Science, 262:905-907 (1993)

Hofmann et al., "A model of Cdc25 phosphatase catalytic Domain and Cdk-interaction surface based on the presence of a rhodanese homology domain," J Mol Biol, 282:195-208 (1998)

Holliger et al., "'Diabodies': Small bivalent and bispecific antibody fragments," PNAS USA 90:6444-6448 (1993)

Hoogenboom et al., "Building antibodies from their genes," Immunol. Reviews, 130:43-68 (1992)

Horspool et al., "Nucleic acid vaccine-induced immune responses require CD28 costimulation and are regulated by CTLA4," J Immunol, 160:2706-2714 (1998)

Houghten et al., "The use of synthetic peptide combinatorial libraries for the identification of bioactive peptides," BioTechniques, 13:412-421 (1992)

Houghten, "General method for the rapid solid-phase synthesis of large numbers of peptides: Specificity of antigen-antibody interaction at the level of individual amino acids," *Proc Nat'l Acad Sci USA*, 82:5131-5135 (1985)

Hurwitz et al., "Specific blockade of CTLA-4/B7 interactions results in exacerbated clinical and histologic disease in an actively-induced model of experimental allergic encephalomyelitis," J Neuroimmunol, 73:57-62 (1997)

Hurwitz et al., "CTLA-4 blockade synergizes with tumor-derived granulocyte-macrophage colony-stimulating factor for treatment of an experimental mammary carcinoma," *Proc Natl Acad Sci USA*, 95:10067-10071 (1998)

Ill et al., "Design and construction of a hybrid immunoglobulin domain with properties of both heavy and light chain variable regions," *Protein Engineering*, 10:949-957 (1997)

Jakobovits et al., "Germ-line transmission and expression of a human-derived yeast artificial-chromosome." *Nature*, 362:255-258 (1993)

Jakobovits et al., "Analysis of homozygous mutant chimeric mice: Deletion of the immunoglobulin heavy-chain joining region blocks B-cell development and antibody production." *Proc. Natl. Acad. Sci. USA*, 90:2551-2555 (1993)

Jakobovits, "Humanizing the mouse genome." Current Biology, 4:761-763 (1994)

Jakobovits, "Production of fully human antibodies by transgenic mice." Current Opinion in Biotechnology, 6:561-566 (1995)

Jakobovits, "The long-awaited magic bullets: therapeutic human monoclonal antibodies from transgenic mice," Expert Opinion on Investigational Drugs, 7:607-614 (1998)

Jones et al., "Replacing the complementarity-determining regions in a human antibody with those from a mouse," *Nature*, 321:522-525 (1986).

Joukov et al., "Identification of Csk tyrosine phosphorylation sites and a tyrosine residue important for kinase domain structure," *Biochem J*, 322:927-935 (1997)

Junghans et al. in Cancer Chemotherapy and Biotherapy, 655-686 (2d edition, Chafner and Longo, eds., Lippincott Raven (1996))

Kostelny et al., "Formation of a bispecific antibody by the use of leucine zippers," J. Immunol., 148:1547-1553 (1992)

Krummel and Allison, "CD28 and CTLA-4 have opposing effects on the response of T cells to stimulation," *J Exp Med*, 182:459-465 (1995)

Krummel et al., "Superantigen responses and co-stimulation: CD28 and CTLA-4 have opposing effects on T cell expansion in vitro and in vivo," Int Immunol, 8:519-523 (1996)

Kuchroo et al., "B7-1 and B7-2 costimulatory molecules activate differentially the Th1/Th2 developmental pathways: application to autoimmune disease therapy," Cell, 80:707-718 (1995)

Kwon et al., "Manipulation of T cell costimulatory and inhibitory signals for immunotherapy of prostate cancer," *Pro Nat'l Acad Sci USA*, 94:8099-80103 (1997)

LaPlanche et al., "Phosphorothioate-modified oligodeoxyribonucleotides. III NMR and UV spectroscopic studies of the R_p-R_p, S_p-S_p duplexes. [d(GG_s AATTCC)]₂, derived from diastereomeric O-ethyl phosphorothioates," *Nucl. Acids Res.*, 14:9081-9093 (1986)

Lenschow et al., "Expression and functional significance of an additional ligand for CTLA-4," *Proc Nat'l Acad Sci USA*, 90:11054-11058 (1993)

Lenschow et al., "Long-term survival of xenogeneic pancreatic islet grafts induced by CTLA4lg," Science, 257:789-792 (1992)

"Leucocycte Typing VI: White Cell Differentiation Antigens," Garland Publishing, New York, NY, pp 30-31, 95-98 and 1213-1214

Lin et al., "Cytotoxic T lymphocyte antigen 4 (CTLA4) blockade accelerates the acute rejection of cardiac allografts in CD28-deficient mice: CTLA4 can function independently of CD28," J Exp Med, 188:199-204 (1998)

Linsley et al., "CTLA-4 is a second receptor for the B cell activation antigen B7," J. Exp. Med., 174:561-569 (1991)

Linsley et al., "Coexpression and functional cooperation of CTLA-4 and CD-28 on activated T lymphocytes," *J Exp Med*, 176:1595-1604 (1992)

Linsley et al., "Immunosuppression in vivo by a soluble form of the CTLA-4 T cell activation molecule," Science, 257:792-795 (1992)

Liu et al., "Production of a mouse-human chimeric monoclonal antibody to CD20 with potent Fc-dependent biologic activity, *J.Immunol.*,139:3521-3526 (1987)

Liu et al., "Chimeric mouse-human IgG1 antibody that can mediate lysis of cancer cells," Proc Nat'l Acad Sci USA, 84:3439-3443 (1987)

Lonberg et al., "Antigen-specific human antibodies from mice comprising four distinct genetic modifications," *Nature*, 368:856-859 (1994)

Luhder et al., "Cytotoxic T lymphocyte-associated antigen 4 (CTLA-4) regulates the unfolding of autoimmune diabetes," *J Exp Med*, 187:427-432 (1998)

Mandal et al., "ABGEN: A knowledge-based automated approach for antibody structure modeling," *Nature Biotechnology*, 14:323-328 (1996)

Marasco, "Intrabodies: turning the humoral immune system outside in for intracellular immunization," Gene Therapy, 4:11-15 (1997)

Markees et al., "Long-term survival of skin allografts induced by donor splenocytes and anti-CD154 antibody in thymectomized mice requires CD4(+) T cells, interferon-gamma, and CTLA4," J Clin Invest, 101:2446-2455 (1998)

Marks et al., "Oligonucleotide primers for polymerase chain reaction amplification of human immunoglobulin variable genes and design of family-specific oligonucleotide probes." Eur. J. Immunol., 21:985-991 (1991)

Marrack et al., "The Staphylococcal Enterotoxins and Their Relatives," Science, 705-711 (1990)

Martin et al., "The affinity-selection of a minibody polypeptide inhibitor of human interleukin-6," The EMBO Journal, 13:5303-5309 (1994)

McCoy et al., "Protective immunity to nematode infection is induced by CTLA-4 blockade," J Exp Med, 186:183-187 (1997)

Mendez et al., "Functional transplant of megabase human immunoglobulin loci recapitulates human antibody response in mice," *Nature Genetics*, 15:146-156 (1997)

Monfardini et al. "Rational design, analysis, and potential utility of GM-CSF antagonists," Proc Assoc Am Physicians, 108:420-431 (1996)

Morrison, "Transfectomas provide novel chimeric antibodies," Science, 229:1202-1207 (1985).

Murphy et al., "Blockade of CTLA-4 enhances host resistance to the intercellular pathogen, Leishmania donovani," J. Immunol., 161:4153-4160 (1998)

Needleman and Wunsch, "A general method applicable to the search for similarities in the amino acid sequence to two proteins," Mol. Biol., 48:443-453 (1970)

Neuberger et al., "A hapten-specific chimaeric IgE antibody with human physiological effector function," *Nature*, 314:268-270 (1985).

Oi et al., "Chimeric antibodies," Biotechniques, 4(3):214-221 (1986).

Okayama et al., "A cDNA cloning vector that permits expression of cDNA inserts in mammalian cells," Mol. Cell. Bio., 3:280-289 (1983).

O'Kennedy et al., "Antibody engineering: an overview," Essays in Biochemistry, 46:59-75 (1991).

Parmley and Smith, "Antibody-selectable filamentous fd phage vectors: affinity purification of target genes," Gene, 73:305-318 (1988)

Parren, "Preparation of genetically engineered monoclonal antibodies for human immunotherapy," *Human Antibodies and Hybridomas*, 3:137-145 (1992).

Pearson and Lipman, "Improved tools for biological sequence comparison," Proc. Natl. Acad. Sci. U.S.A., 85:2444-2448 (1988)

Perez et al., "Induction of peripheral T cell tolerance in vivo requires CTLA-4 engagement," Immunity, 6:411-417 (1997)

Perrin et al., "B7-mediated costimulation can either provoke or prevent clinical manifestations of experimental allergic encephalomyelitis," *Immunol Res*, 14:189-199 (1995)

Perrin et al. "CTLA-4 blockade enhances clinical disease and cytokine production during experimental allergic encephalomyelitis *J Immunol*,157:1333-1336 (1996)

Pinilla et al., "Rapid identification of high affinity peptide ligands using positional scanning synthetic peptide combinatorial libraries," Biotechniques, 13:901-905 (1992)

Powell et al., "Compendium of excipients for parenteral formulations," PDA J Pharm Sci Technol. 52:238-311 (1998)

Razi-Wolf et al., "Evidence for an additional ligand, distinct from B7, for the CTLA-4 receptor," *Proc Natl Acad Sci USA*, 90:11182-11186 (1993)

Riechmann et al., "Reshaping human antibodies for therapy," Nature, 332:323-327 (1988).

Rizo and Gierasch, "Constrained peptides: models of bioactive peptides and protein substructures," Annu. Rev. Biochem., 61:387-418 (1992)

Russel et al., "Retroviral vectors displaying functional antibody fragments," Nucl. Acids Research, 21:1081-1085 (1993)

Schwartz, "Costimulation of T lymphocytes: The role of CD28, CTLA-4, and B7/BB1 in interleukin-2 production and immunotherapy," Cell, 71:1065-1068 (1992)

Scott, "Discovering peptide ligands using epitope libraries," Trends in Biochemical Sciences, 17:241-245 (1992)

Singh et al., "Structure-based design of a potent, selective, and irreversible inhibitor of the catalytic domain of the erbB receptor subfamily of protein tyrosine kinases," *J Med Chem*, 40:1130-1135 (1997)

Smith and Waterman, "Comparison of Biosequences," Adv. Appl. Math., 2:482-489 (1981)

Songsivilai and Lachmann, "Bispecific antibody: a tool for diagnosis and treatment of disease," Clin. Exp. Immunol., 79: 315-321 (1990)

Stec et al., "Automated solid-phase synthesis, separation, and stereochemistry of phosphorothioate analogues of oligodeoxyribonucleotides," J. Am. Chem. Soc., 106:6077-6079 (1984)

Stein et al., "Physicochemical properties of phosphorothioate oligodeoxynucleotides," Nucl. Acids Res., 16:3209-3221 (1988)

Taylor et al., "A transgenic mouse that expresses a diversity of human sequence heavy and light chain immunoglobulins," *Nucleic Acids Research*, 20:6287-6295 (1992)

Taylor et al., "Human immunoglobulin transgenes undergo rearrangement, somatic mutation and class switching in mice that lack endogenous IgM," *International Immunology*, 6:579-591 (1994)

Thornton et al., "Prediction of progress at last" Nature, 354:105-106 (1991)

Tivol et al., "Loss of CTLA-4 leads to massive lymphoproliferation and fatal multiorgan tissue destruction, revealing a critical negative regulatory role of CTLA-4," *Immunity*, 3:541-547 (1995)

Townsend and Allison, "Tumor rejection after direct costimulation of CD8⁺ T cells by B7-transfected melanoma cells," Science, 259:368-370 (1993)

Traunecker et al., "Bispecific single chain molecules (Janusins) target cytotoxic lymphocytes on HIV infected cells," *EMBO J*, 10:3655-3659 (1991)

Traunecker et al., "Janusin: new molecular design for bispecific reagents," Int. J. Cancer (Suppl.), 7:51-52 (1992)

Tuaillon et al., "Analysis of direct and inverted DJ_H rearrangements in a human Ig heavy chain transgenic minilocus," J. Immunol., 154:6453-6465 (1995)

Tuaillon et al., "Human immunoglobulin heavy-chain minilocus recombination in transgenic mice: gene-segment use in μ and γ transcripts," *Proc. Natl. Acad. Sci. USA*, 90:3720-3724 (1993)

Uhlmann and Peyman, "Antisense RNA: A natural gene expression control system," Chemical Reviews, 90:543-584 (1990)

Van Parijs et al., "Role of interleukin 12 and costimulators in T cell anergy in vivo," The Journal of Experimental Medicine," 186, 1119-1128 (1997)

Vaswani et al., "Humanized antibodies as potential therapeutic drugs," Annals of Allergy, Asthma & Immunology, 81:105-119 (1998).

Veber and Freidinger, "The design of metabolically-stable peptide analogs," Trends In Neuro Sciences, pp. 392-396 (1985)

Verhoeyen et al., "Reshaping human antibodies: grafting an antilysozyme activity," Science, 239:1534-1536 (1988).

Vitetta et al., "Immunotoxins: magic bullets or misguided missiles," Immunol Today, 14:252-259 (1993)

Walunas et al., "CTLA-4 can function as a negative regulator of T cell activation," *Immunity*, 1:405-413 (1994)

Walunas et al., "CTLA-4 ligation blocks CD28-dependent T cell activation," J Exp Med, 183:2541-2550 (1996)

Waterhouse et al., "Lymphoproliferative disorders with early lethality in mice deficient in CTLA-4," Science, 270:985-988 (1995)

Winter and Harris, "Humanized Antibodies," Immunol Today, 14:243-246 (1993)

Wright et al., "Genetically engineered antibodies: Progress and prospects," Crit. Reviews in Immunol., 12:125-168 (1992)

Wu, "From esoteric theory to therapeutic antibodies," Applied Biochemistry and Biotechnology, 47(2/3):107-118 (1994).

Yang et al., "Enhanced induction of antitumor T-cell responses by cytotoxic T lymphocyte-associated molecule-4 blockade: The effect is manifested only at the restricted tumor-bearing stages," Cancer Res, 57:4036-4041 (1997)

Yi-qun et al., "Differential requirements for co-stimulatory signals from B7 family members by resting versus recently activated memory T cells towards soluble recall antigens," *Int Immunol*, 8:37-44 (1996)

Zon et al., "Phosphorothioate oligonucleotides: chemistry, purification, analysis, scale-up and future directions," Anti-Cancer Drug Design, 6:539-568 (1991)

Zon et al., "Phosphorothioate oligonucleotides," Oligonucleotides and Analogues: A Practical Approach, pp. 87-108 (F. Eckstein, Ed., Oxford University Press, Oxford England (1991))

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OME-control number.

Substit	ute for fo	m 1449/P1	o	Complete if known			
INFORMATION DISCLOSURE STATEMENT BY APPLICANT				Application Number	10/776,649		
			CLOSURE	Filing Date	February 10, 2004		
			PLICANT	First Named Inventor	Hanson		
			,	Art Unit	1644		
(use	se as many sheets as necessary)		Examiner Name Ilia I. Ouspenski				
Sheet	1	of	18	Attorney Docket Number	ABX-PF1 DIV2	•	

			U.S. PATENT	DOCUMENTS	
Examiner Initials*	Cite No.1	Document Number Number – Kind Code ² (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Documents	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		RE 35,500	05/16/1997	Rhodes	
		6,255,458	07/03/2001	Lonberg et al.	
		6,207,156	03/27/2001	Kuchroo et al.	
		6,162,963	12/19/2000	Kucherlapati et al.	
		6,150,584	11/21/2002	Kucherlapati et al.	
		6,114,598	09/05/2000	Kucherlapati et al.	
		6,075,181	06/13/2000	Kucherlapati et al.	
		6,051,227	04/18/2000	Allison et al.	
		5,977,318	11/02/1999	Linsley etal.	
		5,968,510	10/19/1999	Linsley et al.	
		5,939,598	08/17/1999	Kucherlapati et al.	
		5,916,771	06/29/1999	Hori et al.	
		5,855,887	01/05/1999	Allison et al.	
		5,827,690	10/27/1998	Meade et al.	
		5,814,318	09/29/1998	Lonberg et al.	
		5,811,097	09/22/1998	Allison et al.	-
		5,789,650	08/04/1998	Lonberg et al.	
		5,789,215	08/04/1998	Berns et al.	
		5,777,085	07/07/1998	Co et al.	
		5,773,253	06/30/1998	Linsley et al.	
		5,770,429	06/23/1998	Lonberg et al.	

Examiner	Date
Signature	
dignatuje	Considered

"EXAMINER: Initial if reference considered, whether or not obtain its in conformance with MPEP 609. Draw time through distalon if not in conformance and not considered, include copy of this form with next communication to applicant. 1 Applicant's unique obtain designation number (optional). 2 See Kinds Codes of USPTO Patient Documents at www.uspc.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST3.). 4 For Japanese patient documents, the Indication of the year of the regn of the Emperor must precede the serial number of the patient document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and-or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Approved for use through 10/31/2002, OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Control number.

One of 1995, no persons are required to respond to a collection of information unless it comains a valid OMB control number.

Substitu	ute for for	m 1449/PT	o	Complete if known			
INFORMATION DISCLOSURE				Application Number	10/776,649		
			CLOSURE	Filing Date	February 10, 2004		
STA	TEMEN	IT BY AF	PLICANT	First Named Inventor Hanson			
				Art Unit 1644			
(use	as many	sheets as	necessary)	Examiner Name Ilia I. Ouspenski			
Sheet	2	of	18	Attomey Docket Number	ABX-PF1 DIV2		

	U.S. PATENT	DOCUMENTS	
5,770,197	06/23/1998	Linsley et al.	
5,756,687	05/26/1998	Denman et al.	
5,750,172	05/12/1998	Meade et al.	
5,741,957	04/21/1998	Deboer et al.	
5,733,743	03/31/1998	Johnson et al.	
5,721,367	02/24/1998	Kay et al.	
5,714,350	02/03/1998	Co et al.	
5,703,057	12/30/1997	Johnston et al.	
5,697,902	12/16/1997	Godenberg	
5,693,792	12/02/1997	Torii et al.	
5,693,761	12/02/1997	Queen et al.	
5,661,016	08/26/1997	Lonberg et al.	
5,648,471	07/15/1997	Bunram et al.	
5,643,763	07/01/1997	Dunn et al.	
5,633,425	05/27/1997	Lonberg et al	
5,625,126	04/29/1997	Lonberg et al.	
5,612,205	03/18/1997	Kay et al.	
5,591,669	01/07/1997	Krimpenfort et al.	
5,585,089	12/17/1996	Queen et al.	
5,569,825	10/29/1996	Lonberg et al.	
5,545,807	08/13/1996	Surani et al.	
5,545,806	08/13/1996	Lonberg et al.	-

Examiner	
	Date
Signature	Considered
	Considered

*EXAMINER: Initial If reference considered, whether or not citation is in conformance with MPEP 809. Draw line through dilation if not in conformance and not considered, include copy of this form with next communication to applicant. 1 Applicant's unknot citation designation number (optional). 2 Sea Kinds Codes of USPTO Parent Documents at www.uspto.gov or MPEP 801.04. 3 Enter Office that issued the document, by the two-latter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the right of the Emperor must precede the social number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under with Standard ST.16 (f possible. 6 Applicant is to place a check mark here if English language Yransiation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or remain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and-or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Approved for use through 10/31/2002. OMB 0851-0031 U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1985, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitu	ite for form 14	149/PT	0	Complete if known			
INFORMATION DISCLOSURE				Application Number	10/776,649		
			CLOSURE	Filing Date	February 10, 2004		
STA	STATEMENT BY APPLICANT		First Named Inventor	Hanson			
				Art Unit 1644			
(use	as many she	ets as	necessary)	Examiner Name Ilia I. Ouspenski			
Sheet	3	of	18	Attorney Docket Number ABX-PF1 DIV2			

	U.S. PATENT	DOCUMENTS	<u> </u>
5,530,101	06/25/1996	Queen et al.	
5,434,131	07/18/1995	Linsley et al.	
5,194,594	03/16/1993	Khawli et al.	
5,151,510	09/29/1992	Stec et al.	
5,102,990	04/07/1992	Rhodes	
5,101,827	04/07/1992	Goldenberg	
4,959,455	09/25/1990	Clark et al.	
4,912,040	03/27/1990	Kaufman et al.	
4,816,397	03/28/1989	Boss et al.	
4,740,461	04/26/1988	Kaufman	
4,735,210	04/05/1988	Goldenberg	
4,683,202	07/28/1987	Mullis	
4,683,195	07/28/1982	Mullis et al.	
4,681,581	07/21/1987	Coates	
4,399,216	08/16/1983	Axel et al.	
2002/0086014	07/04/2002	Korman et al.	

FOREIGN PATENT DOCUMENTS							
Examiner	Cita	Foreign Patent Occument	Publication Date		Pages, Columns, Lines,		
เกทียโล*		MM-DD-YYYY	Country	Where Resevant Passages or Relevant Flaures Appear	T ⁴		
		CA 2,205,680	11/16/1998	Canada			
		EP 0 546 073	06/16/1993	Europe			

Examiner	Date	
Signature	Considered	
The state of the s	CONSIDERED	

"EXAMINER: Initial if reference considered, whether or not claims is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicamt. I Applicants unique diagon designation number (optional), 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-lotter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the raign of the Emperor must proceed the sartal number of the patent document. 5 Kind of document by the appropriate symbols as indication on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CIR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and-or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Approved for use through 10/31/2002. OMB 0651-0031 U.S. Patent and Tredemark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1985, no persons are required to respond to a collection of Information unless it contains a valid OME control number.

Substitu	ute for for	m 1449/PT	o	Con	plete if known	
			•	Application Number	10/776,649	
INFO	DRMAT	ION DISC	CLOSURE	Filing Date	February 10, 2004	
STA	TEMEN	IT BY AF	PLICANT	First Named Inventor	Hanson	
				Art Unit	1644	
(use	(use as many sheets as necessary)			Examiner Name	Ilia I. Ouspenski	
Sheet	4	of	18	Attorney Docket Number	ABX-PF1 DIV2	

FC	DREIGN PATEN	IT DOCUMENTS	
EP 0 463 151	01/02/1992	Europe	
EP 0 338 841	10/25/1989	Europe	
EP 0 323 997	07/19/1989	Europe	
EP 0 256 055	02/24/1998	Europe	
EP 0 239 400	08/03/1994	Europe	
EP 0 216 846	04/08/1987	Europe	_
WO 01/14424	03/01/2001	PCT	
WO 00/32231	06/08/2000	PCT	
WO 98/50433	11/12/1998	PCT	
WO 98/46996	10/22/1998	PCT	
WO 98/42752	10/01/1998	PCT	
WO 98/24893	06/11/1998	PCT	\dashv
WO 98/24884	06/11/1998	PCT	
WO 97/38137	10/16/1997	PCT	
WO 97/20574	06/12/1997	PCT	
WO 97/13852	04/17/1997	PCT	
WO 96/34096	10/31/1996	PCT	\neg
WO 96/33735	10/31/1996	PCT	\neg
WO 96/22380	07/25/1996	PCT	ᅦ
WO 96/14436	05/17/1996	PCT	-
WO 95/33770	12/14/1995	PCT	┪
WO 95/24217	09/14/1995	PCT	7

Examiner Signature	Date Considered	
	Colipiding	

*EXAMINER: Initial if reference considered, whether or not classion is in conformance with MPEP 609. Draw line through distalon if not in conformance and not considered, include copy of this form with next communication to applicant, il Applicant's unique classion designation number (optional). 2 See Kinds Codes of USPTO Patient Documents at www.uspic.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-locar code (WIPO Standard ST.3). 4 For Japances patent documents, the midration of the year of the right of the Emperor must proceed the sense number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.18 if possible. 6 Applicant is to place a check mark here if English tanguage Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CfR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and-or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Approved for use through 10/31/2002, OMB 0851-0031 U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1985, no persons are required to respond to a collection of information unless it contains a valid OMB

Substit	ute for for	n 1449/PT	o´	Con	plete if known	
				Application Number	10/776,649	
INF	ORMATI	on disc	CLOSURE	Filing Date	February 10, 2004	
STA	STATEMENT BY APPLICANT			First Named Inventor	Hanson	
				Art Unit	1644	
(use	(use as many sheets as necessary)			Examiner Name	Ilia I. Ouspenski	
Sheet	5	of	18	Attorney Docket Number	ABX-PF1 DIV2	

	FOREIGN PATEN	IT DOCUMENTS	
WO 95/03408	02/02/1995	PCT	
WO 95/01994	01/19/1995	PCT	
WO 94/29444	12/22/1994	PCT	
WO 94/25585	11/10/1994	PCT	
WO 94/02602	02/03/1994	PCT	
WO 94/00569	01/06/1994	PCT	
WO 93/12227	06/24/1993	PCT	
WO 93/00431	01/07/1993	PCT	
WO 92/22670	12/23/1992	PCT	
WO 92/22647	12/23/1992	PCT	
WO 92/22645	12/23/1992	PCT	
WO 92/03918	03/19/1992	PCT	
WO 91/10741	07/25/1991	PCT	

	NON PATENT LITERATURE DOCUMENTS				
Examiner Initials*	Cite No.1	Molude name of the author (in CAPITAL LETTERS), title of the anticle (when appropriate), ude of the Item (book, magazine, journal, sarial, symposium, catalog, ctc.), date, page(s), volume-issue number(s), publisher, dity and-or country where published	Ţ ⁴		
		Alegre et al., "Regulation of surface and intracellular expression of CTLA4 on mouse T cells,: J. Immunol., 157:4762-4770 (1996)			
		Allison & Krummel, "The Yin and Yang of T cell costimulation, "Science, 270:932-933 (1995)			
		Balzano et al., "CTLA-4 and CD28: Similar proteins, neighbouring genes," Int. J. Cancer: Supplement, 7:28-32 (1992)	-, -		

Examiner	Date	
Signature		
Signature	Considered	

*EXAMINER: Initial of reference considered, whether or not creation is in conformance with MPEP 609. Draw line through citation in conformance and not considered, include copy of this form with next communication to applicant. 1 Applicant's unique distion designation number (opconst). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04, 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the series number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document winder WIPO Standard ST.16 if possible. 6 Applicant is to piece a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450,

Approved for use through 10/31/2002. OMB 0851-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paponwork Reduction Act of 1985, no persons are required to respond to a collection of information unless it contains a valid OMB

Substit	ute for for	m 1449/P	ro	Con	plete if known	
				Application Number	10/776,649	
INF	DRMAT	ION DIS	CLOSURE	Filing Date	February 10, 2004	
STA	STATEMENT BY APPLICANT			First Named Inventor	Hanson	
				Art Unit	1644	
(use	as many	sheets as	necessary)	Examiner Name	Ilia I. Ouspenski	
Sheet	6	of	18	Attorney Docket Number	ABX-PF1 DIV2	

 NON PATENT LITERATURE DOCUMENTS	
Barker and Dayhoff, "Detecting distant relationships: computer methods and results," Atlas of Protein Sequence and Structure, pp. 101-110 (Volume 5, National Biomedical Research Foundation (1972)	
Blair et al., "Cutting edge: CTLA-4 ligation delivers a unique signal to resting human CD4 T cells that inhibits interleukin-2 secretion but allows Bcl-X _L induction," J Immunol, 160:12-15 (1998)	
Blake and Litzi-Davis, "Evaluation of peptide libraries: An iterative strategy to analyze the reactivity of peptide mixtures with antibodies," <i>Bioconjugate Chem.</i> , 3:510-513 (1992)	
Boussiotis et al., "Activated human B lymphocytes express three CTLA-4 counterreceptors that costimulate T-cell activation," Proc Natl Acad Sci USA, 90:11059-11063 (1993)	
Bowie et al., "A method to identify protein sequences that fold into a known three-dimensional structure," Science, 253:164-170 (1991)	
Bruggemann et al., "A repertoire of monoclonal antibodies with human heavy chains from transgenic mice," PNAS USA, 86:6709-6713 (1989)	
Bruggemann and Neuberger, "Generation of antibody repertoires in transgenic mice," Methods: A companion to Methods in Enzymology, 2:159-165 (1991)	
Bruggemann et al., "Human antibody production in transgenic mice: expression from 100 kb of the human IgH locus," Eur. J. Immunol., 21:1323-1326 (1991)	
Bruggemann and Neuberger, "Strategies for expressing human antibody repertoires in transgenic mice," Immunology Today, 17:391-397 (1996)	
Brunet et al., "A new member of the immunoglobulin superfamily - CTLA-4," Nature, 328:267-270 (1987)	
Bumpers et al., "Consistent hepatic metastasis of human colorectal cancer in severe combined immunodeficient mice," J. Surgical Res., 61:282-288 (1996)	
Castan et al., "Accumulation of CTLA-4 expressing T lymphocytes in the germinal centres of human lymphoid tissues," Immunology, 90:265-271 (1997)	

Examiner	Date
Signature	
dignistato	Considered

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and-or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

[&]quot;EXAMINER: Initial if reference considered, whather or not citation is in conformance with MPEP 603. Draw line through creation if not in conformance and not considered, include copy of this form with next communication to applicant. 1 Applicants unique distinct easignation number (openial). 2 See Kinds Codes of USPTO Patent Documents at www.uspio.gov.or MPEP 801,04, 3 Enter Office that leased the document, by the two-leder code (MIPO Standard ST.3). 4 For Applicace patent documents, the microston of the year of the reign of the Emperor must precede the serial number of the patent document. 5 Kind of occument by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a crock mark hare if English tanguage Translation is attached.

Approved for use through 10/31/2002, OMB 0651-0031 U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1985, no persons are required to respond to a collection of information unless it contains a valid OMB

Substit	ute for for	m 1449/PT	o	Con	nplete if known	
				Application Number	10/776,649	
INF	DRMAT	ION DIS	CLOSURE	Filing Date	February 10, 2004	
STA	STATEMENT BY APPLICANT			First Named Inventor	Hanson	
				Art Unit	1644	_
(use	as many	sheets as	necessary)	Examiner Name	Ilia I. Ouspenski	
Sheet	7	of	18	Attomey Docket Number	ABX-PF1 DIV2	

NON PATENT LITERATURE DOCUMENTS
Chen et al., "Costimulation of antitumor immunity by the B7 counterreceptor for the T lymphocyte molecules Cd28 and CTLA-4," Cell, 71:1093-1102 (1992)
Chen et al. "Immunoglobulin gene rearrangement in B-cell deficient mice generated by targeted deletion of the J _H locus," International Immunology, 5:647-656 (1993)
Chen et al., "Intracellular antibodies as a new class of therapeutic molecules for gene therapy," Human Gene Therapy, 5:595-601 (1994)
Chiswell and McCafferty, "Phage antibodies: will new 'coliclonal' antibodies replace monoclonal antibodies?" TIBTECH, 10:80-84 (1992)
Choi et al., "Transgenic mice containing a human heavy chain immunoglobulin gene fragment cloned in a yeast artificial chromosome," Nature Genetics, 4:117-123 (1993)
Chothia & Lesk, "Canonical structures for the hypervariable regions of immunoglobulins," J. Mol. Biol., 196:901-917 (1987
Chothia et al., "Conformations of immunoglobulin hypervariable regions," Nature, 342:877-883 (1989)
Chuang et al., "Interaction of CTLA-4 with the clathrin-associated protein AP50 results in ligand-independent endocytosis that limits cell surface expression," J. Immunol., 159:144-151 (1997)
Coligan et al., "Unit 2.1, "Enzyme-linked immunosorbent assays," Current Protocols in Immunology, 2.1.1-2.1.22 (1994)
Cwirla et al., "Peptides on phage: a vast library of peptides for identifying ligands," PNAS USA, 87:6378-6382 (1990)
Dariavach et al., "Human Ig superfamily CTLA-4 gene: chromosomal localization and identity of protein sequence between murine and human CTLA-4 cytoplasmic domains," Eur. J. Immunol., 18:1901-1905 (1988)

xaminer	! Date	
Signature	Considered	
-G-lenelle		

"EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 809. Draw line through disalon if not in conformance and not considered, include copy of this form with next communication to applicant. I Applicant's unique district designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that Issued his document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, he indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document with MIPO Standard ST.18 if possible. 6 Applicant is to place a check mark here it English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Approved for use through 10/31/2002. OMB 0651-0031 U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it comains a valid OMB control number.

Substit	ute for for	m 1449/PT	0	Con	plete if known	
INFORMATION DISCLOSURE				Application Number	10/776,649	
				Filing Date	February 10, 2004	
STATEMENT BY APPLICANT			PLICANT	First Named Inventor	Hanson	
• • • • • • • • • • • • • • • • • • • •	(use as many sheets as necessary)			Art Unit	1644	
(use				Examiner Name	Ilia I. Ouspenski	
Sheet 8 of 18				Attorney Docket Number	ABX-PF1 DIV2	

NON PATENT LITERATURE DOCUMENTS	
Dayhoff, "Survey of new data and computer methods of analysis," Atlas of Protein Sequence and Structure, pp. 1-10 (Volume 5, Supplement 2, National Biomedical Research Foundation (1976))	
de Boer et al., "Ligation of B7 with CD28/CTLA-4 on T cells results in CD40 ligand expression, interleukin-4 secretion and efficient help for antibody production by B cells," Eur J Immunol, 23:3120-3125 (1993)	
Evans et al., "Design of nonpeptidal ligands for a peptide receptor: cholecystokinin antagonists," J. Med. Chem., 30:1229-1239 (1987)	
Fallarino et al., "B7-1 Engagement of cytotoxic T lymphocyte antigen 4 inhibits T cell activation in the absence of CD28," J Exp Med, 188:205-210 (1998	
Fanger et al., "Production and use of anti-FcR bispecific antibodies," ImmunoMethods, 4:72-S1 (1994)	
Fauchere, "Elements for the rational design of peptide drugs," Adv. Drug Res., 15:29-69 (1986)	
Fishwild et al., "High-avidity human IgGk monoclonal antibodies from a novel strain of minilocus transgenic mice," Nature Biotech., 14:845-851 (1996)	
Foster et al., "Molecular Mechanisms and Selective Influences That Shape the Kappa Gene Repertoire of IgMT B Cells," J. Clin. Invest.: 99, No. 7:1614-1627 (1997)	
Freeman et al., "Murine B7-2, an alternative CTLA4 counter-receptor that costimulates T cell proliferation and interleukin 2 production," J Exp Med., 178:2185-2192 (1993)	
Freeman et al., "Uncovering of functional alternative CTLA-4 counter-receptor in B7-deficient mice," Science, 262:907-909 (1993)	
Freeman et al., "The BB1 monoclonal antibody recognizes both cell surface CD74 (MHC class II-associated invariant chain) as well as B7-1 (CD80), resolving the question regarding a third CD28/CTLA-4 counterreceptor," J Immunol, 161:2708-2715 (1998)	

Examiner Signature	Date	
algitatule	Considered	

"EXAMINER: Initial if reference considered, whether or not clasion is in conformance with MPEP 608, Draw time through citation in not in conformance and not considered, include copy of this form with next communication to applicant. 1 Applicant's unique distinct designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the occurrent, by the two-letter code (WIPO Standard ST.3). 4 For Japonese patent documents, the indication of the year of the reign of the Emperor must precede the sental number of the patent occurrent. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check merk here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of Information unless it contains a valid OMB

Substitu	ite for form 14	49/PT	0	Con	plete if known
INFORMATION DISCLOSURE				Application Number	10/776,649
				Filing Date	February 10, 2004
STATEMENT BY APPLICANT				First Named Inventor	Hanson
		,		Art Unit	1644
(use	(use as many sheets as necessary)			Examiner Name	Ilia I. Ouspenski
Sheet 9 of 18				Attorney Docket Number	ABX-PF1 DIV2

	NON PATENT LITERATURE DOCUMENTS	
	Fry et al., "Specific, irreversible inactivation of the epidermal growth factor receptor and erbB2, by a new class of tyrosine kinase inhibitor," <i>Proc Nat'l Acad Sci USA</i> , 95:12022-12027 (1998)	
	Furet et al., "Modelling study of protein kinase inhibitors: binding mode of staurosporine and origin of the selectivity of CGP 52411," Journal of Computer-Aided Molecular Design, 9:465-472 (1995)	
	Galfre and Milstein, "Preparation of monoclonal antibodies: strategies and procedures." <i>Methods Enzymol.</i> , 73:3-46 (1981)	
	Ginalski et al., "Modelling of active forms of protein kinases: p38 - a case study," Acia Biochimica Polonica, 44:557-564 (1997)	
	Gorman et al., "The Rous sarcoma virus long terminal repeat is a strong promoter when introduced into a variety of eukaryotic cells by DNA-mediated transfection," <i>Proc Nat'l Acad Sci USA</i> , 79:6777-6781 (1982)	
·	Green and Jakobovits, "Regulation of B cell development by variable gene complexity in mice reconstituted with human immunoglobulin yeast artificial chromosomes," J. Exp. Med., 188:483-495 (1998)	
	Green et al., "Antigen-specific human monoclonal antibodies from mice engineered with human Ig heavy and light chain YACs," Nature Genetics, 7:13-21 (1994)	
	Gribben et al., "CTLA4 mediates antigen-specific apoptosis of human T cells," Proc. Natl. Acad. Sci., 92:811-815 (1995	
	Grosschedl and Baltimore, "Cell-type specificity of immunoglobulin gene expression is regulated by at least three DNA sequence elements," Cell, 41:885-897(1985)	
	Hanes and Plückthun, "In vitro selection and evolution of functional proteins by using ribosome display," Proc Nat'l Acad Sci USA, 94:4937-4942 (1997)	
	Harding et al., "CD28-mediated signalling co-stimulates murine T cells and prevents induction of anergy in T-cell clones," <i>Nature</i> , 356:607-609 (1992)	

Contraction in contract		
Examiner	Date	
Signature	Considered	

"EXAMINER: Initial if reference considered, whether or not classon is in conformance with MPEP 609, Draw and through distion if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique distinct designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.capto.gov or MPEP 801.04. 3 Enter Office that issued the accument, by the two-letter code (NPPO Standard ST.3). 4 For departed scattering and the Emperor must precede the send number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English tanguage Translation is statched.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and-or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND PERS OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450. Alexandria. VA 22313-1450.

PTO/SB/08A (10-01)
Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OM8 control number.

Substitu	te for form	1449/PT	Q.	Com	plete if known	
				Application Number	10/776,649	
INFO	RMATIO	N DISC	CLOSURE	Filing Date	February 10, 2004	
STATEMENT BY APPLICANT				First Named Inventor	enter Hanson	
(use as many sheets as necessary) Sheet 10 of 18				Art Unit	1644	
				Examiner Name	Ilia I. Ouspenski	
				Attorney Docket Number	ABX-PF1 DIV2	

NON PATENT LITERATURE DOCUMENTS	
Harper et al., "CTLA-4 and CD28 activated lymphocyte molecules are closely related in both mouse and human as to sequence, message expression, gene structure, and chromosomal location," J Immunol, 147:1037-1044 (1991)	
Hathcock et al., "Identification of an alternative CTLA-4 ligand costimulatory for T cell activation," Science, 262:905-907 (1993)	
Hofmann et al., "A model of Cdc25 phosphatase catalytic Domain and Cdk-interaction surface based on the presence of a rhodanese homology domain," J Mol Biol, 282:195-208 (1998)	
Holliger et al., "'Diabodies': Small bivalent and bispecific antibody fragments," PNAS USA 90:6444-6448 (1993)	
Hoogenboom et al., "Building antibodies from their genes," Immunol. Reviews, 130:43-68 (1992)	
Horspool et al., "Nucleic acid vaccine-induced immune responses require CD28 costimulation and are regulated by CTLA4," J Immunol, 160:2706-2714 (1998)	
Houghten et al., "The use of synthetic peptide combinatorial libraries for the identification of bioactive peptides," BioTechniques, 13:412-421 (1992)	
Houghten, "General method for the rapid solid-phase synthesis of large numbers of peptides: Specificity of antigen-antibody interaction at the level of individual amino acids," Proc Nat'l Acad Sci USA, 82:5131-5135 (1985)	
Hurwitz et al., "Specific blockade of CTLA-4/B7 interactions results in exacerbated clinical and histologic disease in an actively-induced model of experimental allergic encephalomyelitis," J Neuroimmunol, 73:57-62 (1997)	
Hurwitz et al., "CTLA-4 blockade synergizes with tumor-derived granulocyte-macrophage colony-stimulating factor for treatment of an experimental mammary carcinoma," Proc Natl Acad Sci USA, 95:10067-10071 (1998)	
Ill et al., "Design and construction of a hybrid immunoglobulin domain with properties of both heavy and light chain variable regions," Protein Engineering, 10:949-957 (1997)	

Examiner .	Date	
Signature	Considered	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, Draw kno through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique distinct designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 801.04. 3 Enter Office that issued the document, by the two-letter code (MPDO Standard ST3). 4 For Japanese patent occuments, the indication of the year of the Emperor must precede the serial number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if passible. 8 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and-or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Petent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents. P.O. Box 1450, Alexandria, VA 22313-1450.

Approved for use through 10/31/2002. OMB 0851-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1998, no persons are required to respond to a collection of information unders it contains a valid OMB control number.

Substite	ute for form 14	49/PT	0	Con	nplete if known
				Application Number	10/776,649
INFO	DRMATION	DISC	CLOSURE	Filing Date	February 10, 2004
	STATEMENT BY APPLICANT			First Named Inventor	Hanson
J 317			. 2.0/4/1	Art Unit	1644
(use	as many shee	ets as	necessary)	Examiner Name	Ilia I. Ouspenski
Sheet	13	of	18 ·	Attorney Docket Number	ABX-PF1 DIV2

NON PATENT LITERATURE DOCUMENTS	
Jakobovits et al., "Germ-line transmission and expression of a human-derived yeast artificial-chromosome." Nature, 362:255-258 (1993)	
Jakobovits et al., "Analysis of homozygous mutant chimeric mice: Deletion of the immunoglobulin heavy-chain joining region blocks B-cell development and antibody production." <i>Proc. Natl. Acad. Sci. USA</i> , 90:2551-2555 (1993)	
Jakobovits, "Humanizing the mouse genome." Current Biology, 4:761-763 (1994)	
Jakobovits, "Production of fully human antibodies by transgenic mice." Current Opinion in Biotechnology, 6:561-566 (1995)	
Jakobovits, "The long-awaited magic bullets: therapeutic human monoclonal antibodies from transgenic mice," Expert Opinion on Investigational Drugs, 7:607-614 (1998	
Jones et al., "Replacing the complementarity-determining regions in a human antibody with those from a mouse," <i>Nature</i> , 321:522-525 (1986).	
Joukov et al., "Identification of Csk tyrosine phosphorylation sites and a tyrosine residue important for kinase domain structure," <i>Biochem J</i> , 322:927-935 (1997)	
Junghans et al. in Cancer Chemotherapy and Biotherapy, 655-686 (2d edition, Chafner and Longo, eds., Lippincott Raven (1996))	
Kostelny et al., "Formation of a bispecific antibody by the use of leucine zippers," J. Immunol., 148:1547-1553 (1992)	
Krummel and Allison, "CD28 and CTLA-4 have opposing effects on the response of T cells to stimulation," J Exp Med, 182:459-465 (1995)	
Krummel et al., "Superantigen responses and co-stimulation: CD28 and CTLA-4 have opposing effects on T cell expansion in vitro and in vivo," Int Immunol, 8:519-523 (1996)	

Examiner	Date
Signature	Considered

"EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through dispon if not in conformance and not considered, include copy of this form with next communication to applicant. 1 Applicant's unique display designation number (eppanel). 2 See Rinds Codes of USPTO Patient Documents at www.uspto.gov or MPEP 901.04. 3 Emiliar Office that issued the occurrent, by the two-letter code (WIPO Standard ST.3). 4 For Japanese pashed bocument, the indication of the year of the engin of the Employment must precede the sonal number of the patient document. 5 Rind of document by the appropriate symbols as indicated on the occurrent under WIPO Standard ST.18 If pessible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and-or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Approved for use through 10/31/2002, OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO				Com	plete if known	
				Application Number	10/776,649	
INFORMATION DISCLOSURE				Filing Date	February 10, 2004	
STATEMENT BY APPLICANT				First Named Inventor	Hanson	
SIAIEMEN DI AFFEIGAN				Art Unit	1644	
(use	(use as many sheets as necessary)			Examiner Name	llia I. Ouspenski	
Sheet	12	of	18	Attorney Docket Number	ABX-PF1 DIV2	

NON PATENT LITERATURE DOCUMENTS	
Kuchroo et al., "B7-1 and B7-2 costimulatory molecules activate differentially the Th1/Th2 developmental pathways: application to autoimmune disease therapy," Cell, 80:707-718 (1995)	
Kwon et al., "Manipulation of T cell costimulatory and inhibitory signals for immunotherapy of prostate cancer," Pro Nat'l Acad Sci USA, 94:8099-80103 (1997)	
LaPlanche et al., "Phosphorothioate-modified oligodeoxyribonucleotides. III NMR and UV spectroscopic studies of the R _p -R _p , S _p -S _p duplexes. [d(GG _s AATTCC)] ₂ , derived from diastereomeric O-ethyl phosphorothioates," Nucl. Acids Res., 14:9081-9093 (1986)	
Lenschow et al., "Expression and functional significance of an additional ligand for CTLA-4," Proc Nat'l Acad Sci USA, 90:11054-11058 (1993)	
Lenschow et al., "Long-term survival of xenogeneic pancreatic islet grafts induced by CTLA4lg," Science, 257:789-792 (1992)	
"Leucocycte Typing VI: White Cell Differentiation Antigens," Garland Publishing, New York, NY, pp 30-31, 95-98 and 1213-1214	
Lin et al., "Cytotoxic T lymphocyte antigen 4 (CTLA4) blockade accelerates the acute rejection of cardiac allografts in CD28-deficient mice: CTLA4 can function independently of CD28," J Exp Med, 188:199-204 (1998)	
Linsley et al., "CTLA-4 is a second receptor for the B cell activation antigen B7," J. Exp. Med., 174:561-569 (1991)	
Linsley et al., "Coexpression and functional cooperation of CTLA-4 and CD-28 on activated T lymphocytes," <i>J Exp Med</i> , 176:1595-1604 (1992)	
Linsley et al., "Immunosuppression in vivo by a soluble form of the CTLA-4 T cell activation molecule," Science, 257:792-795 (1992)	
Liu et al., "Production of a mouse-human chimeric monoclonal antibody to CD20 with potent Fc-dependent biologic activity, J.Immunol., 139:3521-3526 (1987)	

Examiner Signature	Date Considered	
-----------------------	--------------------	--

"EXAMINER: Initial if reference considered, whether or not challen is in conformance with MPEP 609. Draw line through challen in conformance and not considered, include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Yorks Codes of USPTO Patent Documents at www.uspto.gov of MPEP 901.04. 3 Enter Office that issued the occurrent, by the two-letter code (VMPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Engelson must precede the sense number of the patent dominent. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is structed.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and-or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FRES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents. P.O. Box 1450, Alexandria, VA 22313-1450. for Patents. P.O. Box 1450. Alexandria. VA 22313-1450.

2125969325

PTO/SB/08A (10-01)

Approved for use through 10/31/2002, QMB 0651-0031 U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1895, no persons are required to respond to a collection of information unloss it contains a valid CMB

Substitute for form 1449/PTO		Complete if known			
OGDOBIL.	210 101 10111	, , , , ,	•	Application Number	10/776,649
INFORMATION DISCLOSURE				Filing Date	February 10, 2004
STATEMENT BY APPLICANT				First Named Inventor	Hanson
SIAIEMENT DI AFFLICANI				Art Unit	1644
(use	as many	sheets as	necessary)	Examiner Name	llia I. Ouspenski
Sheet 13 of 18				Attorney Docket Number	ABX-PF1 DIV2

NON PATENT LITERATURE DOCUMENTS	
Liu et al., "Chimeric mouse-human IgG1 antibody that can mediate lysis of cancer cells," Proc Nat'l Acad Sci USA, 84:3439-3443 (1987)	
Lonberg et al., "Antigen-specific human antibodies from mice comprising four distinct generic modifications," Nature, 368:856-859 (1994)	
Luhder et al., "Cytotoxic T lymphocyte-associated antigen 4 (CTLA-4) regulates the unfolding of autoimmune diabetes," <i>J Exp Med</i> , 187:427-432 (1998)	
Mandal et al., "ABGEN: A knowledge-based automated approach for antibody structure modeling," Nature Biotechnology, 14:323-328 (1996)	
Marasco, "Intrabodies: turning the humoral immune system outside in for intracellular immunization," Gene Therapy, 4:11-15 (1997)	
Markees et al., "Long-term survival of skin allografts induced by donor splenocytes and anti-CD154 antibody in thymectomized mice requires CD4(+) T cells, interferon-gamma, and CTLA4," J Clin Invest, 101:2446-2455 (1998	
Marks et al., "Oligonucleotide primers for polymerase chain reaction amplification of human immunoglobulin variable genes and design of family-specific oligonucleotide probes." Eur. J. Immunol., 21:985-991 (1991)	
Marrack et al., "The Staphylococcal Enterotoxins and Their Relatives," Science, 705-711 (1990)	
Martin et al., "The affinity-selection of a minibody polypeptide inhibitor of human interleukin-6," The EMBO Journal, 13:5303-5309 (1994)	
McCoy et al., "Protective immunity to nematode infection is induced by CTLA-4 blockade," J Exp Med, 186:183-187 (1997)	
Mendez et al., "Functional transplant of megabase human immunoglobulin loci recapitulates human antibody response in mice," Nature Genetics, 15:146-156 (1997)	
Monfardini et al. "Rational design, analysis, and potential utility of GM-CSF antagonists," Proc Assoc Am Physicians, 108:420-431 (1996)	

	· · · · · · · · · · · · · · · · · · ·	البكاث أنسست في المستقد
Examiner Signature	Date Considered	

"EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw time through citation if not in conformance and not considered include copy of this form with next communication to applicant. I Applicant's unique diagon designation number (options). 2 See Kinds Codes of USPTO Patent Document at www.uspro.gov or MPEP 801.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Jacanese patent documents, the indication of the year of the reign of the Emperor must precede the senal number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check many here if English language Yrandation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and-or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450, DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner

Approved for use through 10/31/2002. OMS 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

U.S. Fatern and Trademark Office. U.S. DEPARTMENT OF 1995, no persons are required to respond to a collection of information unloss it contains a valid OMB

Substitute for form 1449/PTO			0	Complete if known	
Subsuit	ite ioi ioiii	1 1770/1 1	•	Application Number	10/776,649
INIE	SPAATI	ON DISC	CLOSURE	Filing Date	February 10, 2004
INFORMATION DISCLOSURE STATEMENT BY APPLICANT				First Named Inventor	Hanson
SIA	I EMEN	IDIAL	FICANI	Art Unit	1644
luse	(use as many sheets as necessary)			Examiner Name	Ilia I. Ouspenski
Sheet 14 of 18				Attorney Docket Number	ABX-PF1 DIV2

NON PATENT LITERATURE DOCUMENTS	
Morrison, "Transfectomas provide novel chimeric antibodies," Science, 229:1202-1207 (1985).	
Murphy et al., "Blockade of CTLA-4 enhances host resistance to the intercellular pathogen, Leishmania donovani," J. Immunol., 161:4153-4160 (1998)	
Needleman and Wunsch, "A general method applicable to the search for similarities in the amino acid sequence to two proteins," Mol. Biol., 48:443-453 (1970)	
Neuberger et al., "A hapten-specific chimaeric IgE antibody with human physiological effector function," Nature, 314:268-270 (1985).	
Oi et al., "Chimeric antibodies," Biotechniques, 4(3):214-221 (1986).	
Okayama et al., "A cDNA cloning vector that permits expression of cDNA inserts in mammalian cells," Mol. Cell. Bio., 3:280-289 (1983).	
O'Kennedy et al., "Antibody engineering: an overview," Essays in Biochemistry, 46:59-75 (1991).	
Parmley and Smith, "Antibody-selectable filamentous fd phage vectors: affinity purification of target genes," Gene, 73:305-318 (1988	
Parren, "Preparation of genetically engineered monoclonal antibodies for human immunotherapy," Human Antibodies and Hybridomas, 3:137-145 (1992).	•
Pearson and Lipman, "Improved tools for biological sequence comparison," Proc. Natl. Acad. Sci. U.S.A., 85:2444-2448 (1988)	
Perez et al., "Induction of peripheral T cell tolerance in vivo requires CTLA-4 engagement," <i>Immunity</i> , 6:411-417 (1997)	
Perrin et al., "B7-mediated costimulation can either provoke or prevent clinical manifestations of experimental allergic encephalomyelitis," Immunol Res, 14:189-199 (1995)	

Date Considered	
	Considered

"EXAMINER: tritial if reference considered, whether or not clustion is in conformance with MPEP 609. Draw line strough citation if not in conformance and not considered, include copy of this form with next communication to applicant. 1 Applicant's unique disting designation number (oppose). 2 See Kines Codes of USPTO Patent Document; at twww.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-lesier code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precode the serial number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.18 if possible. 8 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and-or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trudemark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

	COURÓ	number.			
Substitute for form 1449/PTO			0	Complete if known	
Şubsuu	ate to tou	11 14 43/1 1	•	Application Number	10/776,649
INE	TAMAC	ON DISC	CLOSURE	Filing Date	February 10, 2004
	INFORMATION DISCLOSURE STATEMENT BY APPLICANT			First Named Inventor	Hanson
SIA				Art Unit	1644
11186	e as many	sheets as	necessary)	Examiner Name	Ilia I. Ouspenski
Sheet	15	of	18	Attorney Docket Number	ABX-PF1 DIV2
(us <u>e</u>	as many	sheets as	necessary)	Art Unit Examiner Name	1644 Ilia I. Ouspenski

NON PATENT LITERATURE DOCUMENTS	
Perrin et al. "CTLA-4 blockade enhances clinical disease and cytokine production during experimental allergic encephalomyelitis J. Immunol, 157:1333-1336 (1996)	
Pinilla et al., "Rapid identification of high affinity peptide ligands using positional scanning synthetic peptide combinatorial libraries," <i>Biotechniques</i> , 13:901-905 (1992)	
Powell et al., "Compendium of excipients for parenteral formulations," PDA J Pharm Sci Technol. 52:238-311 (1998)	
Razi-Wolf et al., "Evidence for an additional ligand, distinct from B7, for the CTLA-4 receptor," Proc Natl Acad Sci USA, 90:11182-11186 (1993)	
Riechmann et al., "Reshaping human antibodies for therapy," Nature, 332:323-327 (1988).	
Rizo and Gierasch, "Constrained peptides: models of bioactive peptides and protein substructures," Annu. Rev. Biochem., 61:387-418 (1992)	
Russel et al., "Retroviral vectors displaying functional antibody fragments," Nucl. Acids Research, 21:1081-1085 (1993)	
Schwartz, "Costimulation of T lymphocytes: The role of CD28, CTLA-4, and B7/BB1 in interleukin-2 production and immunotherapy," Cell, 71:1065-1068 (1992)	
Scott, "Discovering peptide ligands using epitope libraries," Trends in Biochemical Sciences, 17:241-245 (1992)	
Singh et al., "Structure-based design of a potent, selective, and irreversible inhibitor of the catalytic domain of the erbB receptor subfamily of protein tyrosine kinases," J Med Chem, 40:1130-1135 (1997)	
Smith and Waterman, "Comparison of Biosequences," Adv. Appl. Math., 2:482-489 (1981)	
Songsivilai and Lachmann, "Bispecific antibody: a tool for diagnosis and treatment of disease," Clin. Exp. Immunol., 79: 315-321 (1990)	

	Approximately and the second s		The second of th
Examiner		Date	
Signature		Considered	
- The state of the			

*EXAMINER: Initial if reference considered, whether or not classon is in conformance with MPEP 609. Draw line through distion if not in conformance and not considered, include copy of this form with next communication to applicant. 1 Applicant's unique distion designation number (optional). 2 Sec Kinds Codes of USPTO Petent Documents in twww.uspno.gov or UPEP 901,04. 3 Enter Office that issued the document, by the two-lotter code (WIPO Standard ST.3). 4 For Lapanese patent documents, the indication of the year of the reign of the Emperor must precede the secial number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and-or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner

Approved for use through 10/31/2002. OMB 0651-0031 U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1985, no persons are required to respond to a collection of Information unless it contains a valid OMB

Cubatit	rte for form		^	Complete if known		
อนอรแน	ite ioi ioini	(445)(*)	o .	Application Number	10/776,649	
INFORMATION DISCLOSURE				Filing Date	February 10, 2004	
STATEMENT BY APPLICANT				First Named Inventor	Hanson	
			FLIOAII	Art Unit	1644	
(use as many sheets as necessary)				Examiner Name	Ilia I. Ouspenski	
Sheet	16	of	18	Attorney Docket Number	ABX-PF1 DIV2	

NON PATENT LITERATURE DOCUMENTS	
Stec et al., "Automated solid-phase synthesis, separation, and stereochemistry of phosphorothicate analogues of oligodeoxyribonucleotides," J. Am. Chem. Soc., 106:6077-6079 (1984)	
Stein et al., "Physicochemical properties of phosphorothioate oligodeoxynucleotides," Nucl. Acids Res., 16:3209-3221 (1988)	
Taylor et al., "A transgenic mouse that expresses a diversity of human sequence heavy and light chain immunoglobulins," Nucleic Acids Research, 20:6287-6295 (1992)	
Taylor et al., "Human immunoglobulin transgenes undergo rearrangement, somatic mutation and class switching in mice that lack endogenous IgM," International Immunology, 6:579-591 (1994)	
Thornton et al., "Prediction of progress at last" Nature, 354:105-106 (1991)	
Tivol et al., "Loss of CTLA-4 leads to massive lymphoproliferation and fatal multiorgan tissue destruction, revealing a critical negative regulatory role of CTLA-4," <i>Immunity</i> , 3:541-547 (1995)	
Townsend and Allison, "Tumor rejection after direct costimulation of CD8 ⁺ T cells by B7-transfected melanoma cells," Science, 259:368-370 (1993)	
Traunecker et al., "Bispecific single chain molecules (Janusins) target cytotoxic lymphocytes on HIV infected cells," EMBO J, 10:3655-3659 (1991)	
Traunecker et al., "Janusin: new molecular design for bispecific reagents," Int. J. Cancer (Suppl.), 7:51-52 (1992)	
Tuaillon et al., "Analysis of direct and inverted DJ _H rearrangements in a human Ig heavy chain transgenic minilocus," J. Immunol., 154:6453-6465 (1995	
Tuaillon et al., "Human immunoglobulin heavy-chain minilocus recombination in transgenic mice: gene-segment use in μ and γ transcripts," <i>Proc. Natl. Acad. Sci. USA</i> , 90:3720-3724 (1993)	
Uhlmann and Peyman, "Antisense RNA: A natural gene expression control system," Chemical Reviews, 90:543-584 (1990)	

Examiner		Date	
Signature	•	Considered	To the second

*EXAMINER: Initial if reference considered, whether or not orbition is in conformance with MPEP 609. Draw line through citation if not in conformance and not conecidered, include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patont Occurrence at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the sectal number of the patent document. 5 Kind of document by the appropriate symbols as Indicated on the document under WIPO Standard ST.18 if possible. 8 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will estimated to take 2 hours to complete, including gathering, preparing, and submitting the complete application form to the OSF 10. Three will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and-or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner PAGE 38/40 * RCVD AT 7/27/2005 1:55:06 PM [Eastern Daylight Time] * SVR:USPTO-EFXRF-6/29 * DNIS:2738300 * CSID:2125969325 * DURATION (mm-ss):11-20

Approved for use through 10/31/2002, OMB 0651-0031 U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Peperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB

Substitute for form 1449/PTO			Ω.	Complete if known		
Supsun	16 101 10111	1 1443/51	•	Application Number 10/776,649		
INE	TOMATI	AN DISC	CLOSURE	Filing Date	February 10, 2004	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary)				First Named Inventor	Hanson	
			PLICAII	Art Unit	1644	
			necessary)	Examiner Name	Illa I. Ouspenski	
Sheet	17	of	18	Attorney Docket Number	ABX-PF1 DIV2	

NON PATENT LITERATURE DOCUMENTS
Van Parijs et al., "Role of interleukin 12 and costimulators in T cell anergy in vivo," The Journal of Experimental Medicine," 186, 1119-1128 (1997)
Vaswani et al., "Humanized antibodies as potential therapeutic drugs," Annals of Allergy, Asthma & Immunology, 81:105-119 (1998).
Veber and Freidinger, "The design of metabolically-stable peptide analogs," Trends In Neuro Sciences, pp. 392-396 (1985)
Verhoeyen et al., "Reshaping human antibodies: grafting an antilysozyme activity," Science, 239:1534-1536 (1988).
Vitetta et al., "Immunotoxins: magic bullets or misguided missiles," Immunol Today, 14:252-259 (1993)
Walunas et al., "CTLA-4 can function as a negative regulator of T cell activation," Immunity, 1:405-413 (1994)
Walunas et al., "CTLA-4 ligation blocks CD28-dependent T cell activation," J Exp Med, 183:2541-2550 (1996)
 Waterhouse et al., "Lymphoproliferative disorders with early lethality in mice deficient in CTLA-4," Science, 270:985-988 (1995)
Winter and Harris, "Humanized Antibodies," Immunol Today, 14:243-246 (1993)
Wright et al., "Genetically engineered antibodies: Progress and prospects," Crit. Reviews in Immunol., 12:125-168 (1992)
Wu, "From esoteric theory to therapeutic antibodies," Applied Biochemistry and Biotechnology, 47(2/3):107-118 (1994).
 Yang et al., "Enhanced induction of antitumor T-cell responses by cytotoxic T lymphocyte-associated molecule-4 blockade: The effect is manifested only at the restricted tumor-bearing stages," Cancer Res., 57:4036-4041 (1997)

Examiner Signature	Date Considered
Digitaturo	

"EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considere it include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinca Codes of USPTO Patient Documents at www.uspto.gov or MPEP 901.04, 3 Enter Office that issued the document, by the hardeter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent opcument. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English Enguage Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and-or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner

.....

PTO/SB/08A (10-01)

Approved for use through 10/31/2002. OMB 0651-0031 U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1985, no persons are required to respond to a collection of information unless it contains a valid OMB
control number.

Substitute for form 1449/PTO			0	Complete if known		
Outout to form 14 for 10				Application Number	10/776,649	
INEC	SEMATIO	ON DISC	CLOSURE		February 10, 2004	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary)					Hanson	
			LIONITI	Art Unit	1644	
			necessary)	Examiner Name	Ilia I. Ouspenski	
Sheet	18	of	18	Attorney Docket Number	ABX-PF1 DIV2	

NON PATENT LITERATURE DOCUMENTS	
 Yi-qun et al., "Differential requirements for co-stimulatory signals from B7 family members by resting versus recently activated memory T cells towards soluble recall antigens," Int Immunol, 8:37-44 (1996)	
Zon et al., "Phosphorothioate oligonucleotides: chemistry, purification, analysis, scale-up and future directions," Anti-Cancer Drug Design, 6:539-568 (1991)	
Zon et al., "Phosphorothioate oligonucleotides," Oligonucleotides and Analogues: A Practical Approach, pp. 87-108 (F. Eckstein, Ed., Oxford University Press, Oxford England (1991))	

Examiner Signature	Date Considered	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw tine through citation if not in conformance and not considered, include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (expansit). 2 See Mines Codes of USPTO Patient Documents at www.usping.gov or MPEP 901.04, 3 Enter Office that issued the document, by the two-tester code (WIPO Standard ST.3). 4 For Japanese patient documents, the indication of the year of the efficient ruled preceded the sental number of the patient document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 If possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will very depending upon the individual case. Any comments on the amount of time you require to complete this form and-or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner